DTR720

RELIABLE DIGITAL COMMUNICATIONS

THE ABILITY TO COMMUNICATE AND SOLVE PROBLEMS IN REAL TIME IS CRITICAL TO ENSURING SEAMLESS AND EFFICIENT BUSINESS OPERATIONS.

With Motorola Solutions' license free DTR720 Series radios, digital on-site communication is easier and more reliable than ever. Your team can communicate quickly, solve problems rapidly and address unexpected situations — ultimately improving operational efficiency and customer satisfaction. Motorola Solutions' DTR Series radios are the perfect partner for your business — delivering all the benefits of reliable digital communications and interference free, private communications.

FEATURES

- 900MHz license free radios
- · Wide area coverage
- · Flexible call options
- Scan
- Over the air contact cloning
- · Rental timer
- Remote monitoring\enable\disable
- · Quick text
- Call alert
- Loud and clear audio



DTR720



KEY FEATURES



SLIM, RUGGED DESIGN

Compact and IP54 rated. A durable design meets U.S. Military 810G standards for shock, vibration, water, dust and temperature extremes - so it will operate in the harshest working conditions.



VIBRANT COLOR DISPLAY

A full-graphic, backlit display uses brightness adjustment to provide a crisp and clear image, while an intuitive navigation menu helps you quickly and easily locate all radio features.



CALL ALERT

Send a signal to another radio before you call to ensure the receiver is aware of the call request.



PROMINENT FUNCTIONAL KEYS

Programmable button can be used to quickly access call features like Call All/Page All, to talk to radios without searching through your channel list.



ANTIMICROBIAL HOUSING PROPERTIES

The radio housing contains built-in antimicrobial properties that prevent growth of mold and germs* resulting in stain-resistant and orderless devices.

*The antimicrobial properties do not protect users or others against bacteria, viruses, germs, or other disease organisms. Always clean this product thoroughly before and after each use. Does not apply to accessories.

LICENSE FREE, HASSLE FREE

Designed for business operations, the DTR Series radio will free your time from regulatory paperwork and licensing applications and saving radio licensing fees.

TAKE COVERAGE AND CLARITY FURTHER

Your team will enjoy expanded in-building coverage — up to 350,000 sq. ft. (or 30 floors indoors) with the standard whip antenna. Digital audio quality stays loud and clear — up to the edge of coverage — without static or dead zones.

INTERFERENCE FREE, PRIVATE COMMUNICATIONS

Take advantage of private communications and quickly set up for radio fleet with a unique Radio Profile ID Number. By choosing from 10,000 available codes, you can assure privacy from other neighboring radios.

Leverage Frequency Hopping Spread Spectrum (FHSS) technology for more reliable and private communication when compared to standard analog radios.

FLEXIBLE CALL OPTIONS

With up to 200 entries for individual private contacts, private groups and public groups your team can handle the unique needs of different business operations.

Digital One-to-One Private Calling allows private communications with a specific user to free the radio channel from unnecessary back and forth chatter. The recipient receives an alert – either audible or vibrating – and their radio displays the caller ID.

Digital One-to-Many Group Calling enables public group calls. All other DTR Series radios on the same group ID and channel can hear communications.

MANAGE REMOTELY

Remote Monitoring helps you supervise a situation without being present, by allowing you to listen in on a separate radio conversation.

Remote Enable/Disable gives the ability to remotely enable or disable a radio in the event communication with the team is unsuitable for business.



THE PERFECT PARTNER FOR BUSINESS COMMUNICATION



Retail Stores

Easily locate a clerk to check stock and coordinate restocking operations.

Education

Keep teachers, administrators, crossing guards and maintenance crews in touch so they can respond quickly — preventing small problems from escalating into bigger problems. Facilitate and manage school events and activities efficiently and keep everyone safe by enabling constant communication among staff members.

Restaurants

Ensure tables are ready quickly and customers enjoy their dining experience by seamlessly communicating with restaurant staff.

Hospitality

Keep your staff connected - from the front desk concierge, to event planners and maintenance personnel. This means faster response to guest requests, at special events and emergencies resulting in overall better customer satisfaction.

GENERAL SPECIFICATIONS			
Channels	50		
Frequency	900 MHz ISM FHSS 902-907 915-928 MHz (LACR, Argentina & Brazil only) 916-928 MHz (Peru/El Salvador only)		
Range coverage	350k sq ft 30 floors ¹		
License Free Band	Licensed by the Federal Communications Commission (FCC) and Industry Canada to operate in the license-free 900 MHz ISM (Industrial, Scientific and Medical) band		
Dimensions	5.06" H x 2.2" W x 1.06" D (128.5mm H x 56mm W x 27mm D)		
Weight	7.87oz. (223 g)		

ENERGY SPECIFICATIONS	
Battery	$3.7V \pm 0.5V$
Battery Life	16.5 hrs²

ENVIRONMENTAL SPECIFICATIONS	
Operating Temperature	-30°C to +60°C (Radio) ³
Storage Temperature	-40°C to +85°C (Radio) ³
Dust and Water Intrusion	IEC 60529 IP54

TRANSMITTER SPECIFICATIONS				
RF Output	1W			
Channel Spacing	50kHz			
Frequency Stability (-30°C to 60°C)	± 1PPM			
TX Spurious Emissions - radiated	<54dBuV/m (3m)			
Audio Distortion	<3%			
TX ACPR	-50dBc			
FCC Modulation	8-level FSK 900MHz FHSS			

-125dBm
± 1PPM
<43.5dBuV/m (3m)
75dB
80dB
1W

MILITARY STANDARDS										
	MIL-STD 810C		MIL-STD 810D		MIL-STD 810E		MIL-STD 810F		MIL-STD 810G	
	METHOD	PROCEDURE	METHOD	PROCEDURE	METHOD	PROCEDURE	METHOD	PROCEDURE	METHOD	PROCEDURE
Low Pressure	500.1	I	500.2	II	500.3	II	500.4	II	500.6	II
High Temperature	501.1	I, II	501.2	I/A1, II/A1	501.3	I/A1, II/A1	501.4	I/Hot, II/Hot	501.6	I/A1, II/A1
Low Temperature	502.1	I	502.2	I/C3, II/C1	502.3	I/C3, II/C1	502.4	I/C3, II/C1	502.6	I/C3, II/C1
Temperature Shock	503.1	I	503.2	A1/C3	503.3	A1/C3	503.4	I	503.6	I-C
Solar Radiation	505.1	II	505.2	I/Hot-Dry	505.3	I/Hot-Dry	505.4	I/Hot-Dry	505.6	I/A1
Rain	506.1	I, II	506.2	I, II	506.3	1, 11	506.4	I, III	506.6	I, III
Humidity	507.1	II	507.2	II/hot-humid	507.3	II/hot-humid	507.4	-	507.6	II/Agg
Salt Fog	509.1	I	509.2	I	509.3	I	509.4	-	509.6	-
Dust	510.1	I, II	510.2	I, II	510.3	I, II	510.4	1, 11	510.6	I, II
Vibration	514.2	VIII/F, W, XI	514.3	I/10, II/3	514.4	I/24, II/5	514.5	I/24, II/5	514.7	I/24, II/5
Shock	516.2	I, II	516.3	I, IV	516.4	I, IV	516.5	I, IV	516.7	I, IV

DTR radios meet test methods from Military Standards 810, C,D,E,F and G including shock, vibration, extreme temperatures and dust. DTR radios also satisfy environmental and energy efficiency certifications (CE/CEC, ROHS and WEEE).

^{1:} Coverage depends on terrain and environmental conditions.

^{2:} Typical battery life, 5/5/90 profile at maximum transmitter power. Actual observed runtimes may vary.

^{3:} Radio only. Battery specifications may be different.

DTR SERIES ACCESSORIES







PMNN4578

PMPN4468

PMPN4465 - PMPN4467

BATTERIES, CHARGERS AND CABLES

Keep your radios functioning at all times with these energy essentials. Charge your Lithium Ion batteries in single or multi-charging docks.

g- /				
PMMN4578	Li-ion 2500 mAh, 3.7v Battery			
PMPN4465	6-Pocket Multi Unit Charger Kit North America / LACR			
PMPN4466	6-Pocket Multi Unit Charger Kit Brazil			
PMPN4467	6-Pocket Multi Unit Charger Kit Argentina			
PMPN4469	Single Unit Charger Kit North America / LACR (3W)			
PMPN4468	Single Unit Charger Tray*			
PS000132A08	3W Power Supply Brazil			
PS000042A18	5W Quick Charge Power Supply Brazil			
PS000132A05	3W Power Supply Argentina			
PS000042A15	5W Quick Charge Power Supply Argentina			
PS000228A01	3W Power Supply North America / LACR			
PS000227A11	5W Quick Charge Power Supply North America / LACR			
HKKN4027	Business Radio CPS Programming Cable			
HKKN4028	Business Radio Cloning Cable			

^{*} PMPN4468 Single Unit Charging Tray must be ordered with 3W or 5W Power Supply.





PMAF4024

PMAF4025

ANTENNAS				
Choose between two antenna options to compliment your work environment.				
PMAF4024	900MHz (902-928MHz) Whip Antenna			
PMAF4025	900MHz (902-928MHz) Stubby Antenna			



HKLN4601





HKLN4604

HKLN4599

AUDIO ACCESSORIES

Comfortable and extended wear, these audio accessories provide prominent push-to-talk features and hands free communication.

HKLN4599	Earpiece with in-line microphone and push-to-talk		
HKLN4601	Surveillance with in-line microphone and push-to-talk		
HKLN4604	Swivel Earpiece with in-line microphone and push-to-talk		



PMLN7939

CARRY ACCESSORIES

Wear the radio on your belt so you can be hands free.

PMLN7939 Swivel Clip Holster

For more information, please visit www.motorolasolutions.com/DTR720



Motorola Solutions, Inc. 500 West Monroe Street, Chicago, II 60661 U.S.A. motorolasolutions.com